SPEC & PRICE LIST

Kranze Weaval 22inch REVERSE RIM

〔3Piece〕

Size Price (JPY/1pc)	Base Price Price	STONE GRAY METALLIC/POLISH (¥5,000 UP) Price	SBC/POLISH (¥19,500 UP) Price	DESIGN CHROME (¥35,500 UP) Price	Outer Rim Depth / Disk Type / Inset												HOLE P.C.D.
					38mm		51mm		63mm		76mm		89mm		101mm		
					Lo	Hi	Lo	Hi	Lo	Hi	Lo	Hi	Lo	Hi	Lo	Hi	
22×8.0J	¥167,000	¥172,000	¥186,500	¥202,500	51	32	39	20									5 HOLES 112 114.3 120 Lo・Hi
22×8.5J	¥169,000	¥174,000	¥188,500	¥204,500	58	39	45	26	32	13							
22×9.0J	¥171,000	¥176,000	¥190,500	¥206,500		45	51	32	38	19	26	7					
22×9.5J	¥173,000	¥178,000	¥192,500	¥208,500		52	58	39	45	26	32	13	20	1			
22×10.0J	¥175,000	¥180,000	¥194,500	¥210,500		58		45	51	32	39	20	26	7	14	-6	
22×10.5J	¥177,000	¥182,000	¥196,500	¥212,500				52	58	39	45	26	32	13	20	1	
22×11.0J	¥179,000	¥184,000	¥198,500	¥214,500				58		45	52	33	39	20	26	7	ALL P.C.D. OTHER THAN 5-114.3 ADD JPY 4,000.-
22×11.5J	¥182,000	¥187,000	¥201,500	¥217,500						52	58	39	45	26	33	14	
22×12.0J	¥185,000	¥190,000	¥204,500	¥220,500								46	52	33	39	20	
22×12.5J	¥188,000	¥193,000	¥207,500	¥223,500									58	39	46	27	
22×13.0J	¥191,000	¥196,000	¥210,500	¥226,500											52	33	

WARNING : THE HIGHEST SURFACE POINT OF CENTER DISK COMBINED WITH OUTER RIM DEPTH OF 38mm WILL BE 5mm BEYONED OUTER RIM FLANGE.

■REGULAR COLOR：DESIGN CHROME, SBC/POLISH, STONE GRAY METALLIC/POLISH

■CENTER CAP（AVAILABLE IN 5 COLORS）、METAL VALVE STEM、φ14 KRANZE METAL VALVE STEM CAPS WITH KNURLED GRIP（AVAILABLE IN 4 COLORS）、LONG SOCKET ADAPTOR

※OUTER RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

TPMS Compatibility.

サイズ	5H/112				5H/114.3				5H/120				Height of hub clearance (mm)			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Mid	Hi
22 Reverse	φ66.6	705KG	φ30	φ14.5	φ73	690KG	φ30	φ13	φ72.6	690KG	φ30	φ14.5	—	36	—	55
21 Reverse													—	35	44	53
21 Normal													32	38	46	53
20 Reverse													32	38	46	53
20 Normal													32	38	46	53
19 Reverse		700KG											32	38	46	53

SPEC & PRICE LIST

Kranze Weaval 21inch REVERSE RIM

〔3Piece〕

Size Price (JPY/1pc)	Base Price Price	STONE GRAY METALLIC/POLISH (¥5,000 UP) Price	SBC/POLISH (¥19,500 UP) Price	DESIGN CHROME (¥35,500 UP) Price	Outer Rim Depth / Disk Type / Inset																		HOLE P.C.D.
					38mm			51mm			63mm			76mm			89mm			101mm			
					Lo	Mid	Hi	Lo	Mid	Hi	Lo	Mid	Hi	Lo	Mid	Hi	Lo	Mid	Hi	Lo	Mid	Hi	
21×8.0J	¥129,000	¥134,000	¥148,500	¥164,500	52	43	34	40	31	22													5 HOLES 112 114.3 120 Lo・Mid・Hi ALL P.C.D. OTHER THAN 5-114.3 ADD JPY 4,000.-
21×8.5J	¥131,000	¥136,000	¥150,500	¥166,500	59	50	41	46	37	28	33	24	15										
21×9.0J	¥133,000	¥138,000	¥152,500	¥168,500		56	47	52	43	34	39	30	21	27	18	9							
21×9.5J	¥135,000	¥140,000	¥154,500	¥170,500			54	59	50	41	46	37	28	33	24	15	21	12	3				
21×10.0J	¥137,000	¥142,000	¥156,500	¥172,500					56	47	52	43	34	40	31	22	27	18	9	15	6	-4	
21×10.5J	¥139,000	¥144,000	¥158,500	¥174,500							59	50	41	46	37	28	33	24	15	21	12	3	
21×11.0J	¥141,000	¥146,000	¥160,500	¥176,500										53	44	35	40	31	22	27	18	9	
21×11.5J	¥143,000	¥148,000	¥162,500	¥178,500													46	37	28	34	25	16	
21×12.0J	¥145,000	¥150,000	¥164,500	¥180,500																40	31	22	

WARNING : THE HIGHEST SURFACE POINT OF CENTER DISK COMBINED WITH OUTER RIM DEPTH OF 38mm WILL BE 5mm BEYONED OUTER RIM FLANGE.

■REGULAR COLOR：DESIGN CHROME, SBC/POLISH, STONE GRAY METALLIC/POLISH

■CENTER CAP（AVAILABLE IN 5 COLORS）、METAL VALVE STEM、φ14 KRANZE METAL VALVE STEM CAPS WITH KNURLED GRIP（AVAILABLE IN 4 COLORS）、LONG SOCKET ADAPTOR

※OUTER RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

TPMS Compatibility.

サイズ	5H/112				5H/114.3				5H/120				Height of hub clearance (mm)			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Mid	Hi
22 Reverse	φ66.6	705KG	φ30	φ14.5	φ73	690KG	φ30	φ13	φ72.6	690KG	φ30	φ14.5	—	36	—	55
21 Reverse													—	35	44	53
21 Normal													32	38	46	53
20 Reverse													32	38	46	53
20 Normal													32	38	46	53
19 Reverse		700KG											32	38	46	53

SPEC & PRICE LIST

Kranze Weaval 21inch NORMAL RIM

〔3Piece〕

Size Price (JPY/1pc)	Base Price Price	STONE GRAY METALLIC/POLISH (¥5,000 UP) Price	SBC/POLISH (¥19,500 UP) Price	DESIGN CHROME (¥35,500 UP) Price	Outer Rim Depth / Disk Type / Inset																				HOLE P.C.D.
					54mm				67mm				79mm				92mm				104mm				
					S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	
21×8.5J	¥131,000	¥136,000	¥150,500	¥166,500	49	43	35	28																	5 HOLES 112 114.3 120 S-Lo・Lo Mid・Hi ALL P.C.D. OTHER THAN 5-114.3 ADD JPY 4,000.-
21×9.0J	¥133,000	¥138,000	¥152,500	¥168,500	55	49	41	34	42	36	28	21													
21×9.5J	¥135,000	¥140,000	¥154,500	¥170,500		56	48	41	49	43	35	28	36	30	22	15									
21×10.0J	¥137,000	¥142,000	¥156,500	¥172,500			54	47	55	49	41	34	43	37	29	22	30	24	16	9					
21×10.5J	¥139,000	¥144,000	¥158,500	¥174,500						56	48	41	49	43	35	28	36	30	22	15	24	18	10	3	
21×11.0J	¥141,000	¥146,000	¥160,500	¥176,500									56	50	42	35	43	37	29	22	30	24	16	9	
21×11.5J	¥143,000	¥148,000	¥162,500	¥178,500													49	43	35	28	37	31	23	16	
21×12.0J	¥145,000	¥150,000	¥164,500	¥180,500																	43	37	29	22	

■REGULAR COLOR：DESIGN CHROME, SBC/POLISH, STONE GRAY METALLIC/POLISH

■CENTER CAP（AVAILABLE IN 5 COLORS）、METAL VALVE STEM、φ14 KRANZE METAL VALVE STEM CAPS WITH KNURLED GRIP（AVAILABLE IN 4 COLORS）、LONG SOCKET ADAPTOR

※OUTER RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

TPMS Compatibility.

サイズ	5H/112				5H/114.3				5H/120				Height of hub clearance (mm)			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Mid	Hi
22 Reverse	φ66.6	705KG	φ30	φ14.5	φ73	690KG	φ30	φ13	φ72.6	690KG	φ30	φ14.5	—	36	—	55
21 Reverse													—	35	44	53
21 Normal													32	38	46	53
20 Reverse													32	38	46	53
20 Normal													32	38	46	53
19 Reverse		700KG											32	38	46	53

SPEC & PRICE LIST

Kranze Weaval 20inch REVERSE RIM

〔3Piece〕

Size Price (JPY/1pc)	Base Price Price	STONE GRAY METALLIC/POLISH (¥5,000 UP) Price	SBC/POLISH (¥19,500 UP) Price	DESIGN CHROME (¥35,500 UP) Price	Outer Rim Depth / Disk Type / Inset																												HOLE P.C.D.
					38mm				51mm				63mm				76mm				89mm				101mm				114mm				
					S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	
20×8.0J	¥106,000	¥111,000	¥125,500	¥141,500	55	49	41	34	43	37	29	22	30	24	16	9																	5 HOLES 112 114.3 120 S-Lo・Lo Mid・Hi ALL P.C.D. OTHER THAN 5-114.3 ADD JPY 4,000.-
20×8.5J	¥108,000	¥113,000	¥127,500	¥143,500		56	48	41	49	43	35	28	36	30	22	15	24	18	10	3													
20×9.0J	¥110,000	¥115,000	¥129,500	¥145,500			54	47	55	49	41	34	42	36	28	21	30	24	16	9	17	11	3	-4									
20×9.5J	¥112,000	¥117,000	¥131,500	¥147,500				54		56	48	41	49	43	35	28	36	30	22	15	24	18	10	3	11	5	-3	-10					
20×10.0J	¥114,000	¥119,000	¥133,500	¥149,500							54	47	55	49	41	34	43	37	29	22	30	24	16	9	18	12	4	-4	5	-2	-10	-17	
20×10.5J	¥116,000	¥121,000	¥135,500	¥151,500								54		56	48	41	49	43	35	28	36	30	22	15	24	18	10	3	11	5	-3	-10	
20×11.0J	¥118,000	¥123,000	¥137,500	¥153,500											54	47	56	50	42	35	43	37	29	22	30	24	16	9	17	11	3	-4	
20×11.5J	¥120,000	¥125,000	¥139,500	¥155,500														56	48	41	49	43	35	28	37	31	23	16	24	18	10	3	
20×12.0J	¥122,000	¥127,000	¥141,500	¥157,500																	56	50	42	35	43	37	29	22	30	24	16	9	
20×12.5J	¥124,000	¥129,000	¥143,500	¥159,500																					50	44	36	29	37	31	23	16	
20×13.0J	¥126,000	¥131,000	¥145,500	¥161,500																									43	37	29	22	

WARNING : THE HIGHEST SURFACE POINT OF CENTER DISK COMBINED WITH OUTER RIM DEPTH OF 38mm WILL BE 5mm BEYONED OUTER RIM FLANGE.

■REGULAR COLOR：DESIGN CHROME, SBC/POLISH, STONE GRAY METALLIC/POLISH

■CENTER CAP（AVAILABLE IN 5 COLORS）、METAL VALVE STEM、φ14 KRANZE METAL VALVE STEM CAPS WITH KNURLED GRIP（AVAILABLE IN 4 COLORS）、LONG SOCKET ADAPTOR

※OUTER RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

TPMS Compatibility.

サイズ	5H/112				5H/114.3				5H/120				Height of hub clearance (mm)			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Mid	Hi
22 Reverse	φ66.6	705KG	φ30	φ14.5	φ73	690KG	φ30	φ13	φ72.6	690KG	φ30	φ14.5	—	36	—	55
21 Reverse													—	35	44	53
21 Normal													32	38	46	53
20 Reverse													32	38	46	53
20 Normal													32	38	46	53
19 Reverse		700KG											32	38	46	53

SPEC & PRICE LIST

Kranze Weaval 20inch NORMAL RIM

〔3Piece〕

Size Price (JPY/1pc)	Base Price Price	STONE GRAY METALLIC/POLISH (¥5,000 UP) Price	SBC/POLISH (¥19,500 UP) Price	DESIGN CHROME (¥35,500 UP) Price	Outer Rim Depth / Disk Type / Inset																				HOLE P.C.D.
					54mm				67mm				79mm				92mm				104mm				
					S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	
20×8.0J	¥106,000	¥111,000	¥125,500	¥141,500	43	37	29	22	30	24	16	9													5 HOLES 112 114.3 120 S-Lo・Lo Mid・Hi ALL P.C.D. OTHER THAN 5-114.3 ADD JPY 4,000.-
20×8.5J	¥108,000	¥113,000	¥127,500	¥143,500	49	43	35	28	36	30	22	15	24	18	10	3									
20×9.0J	¥110,000	¥115,000	¥129,500	¥145,500	55	49	41	34	42	36	28	21	30	24	16	9	17	11	3	-4					
20×9.5J	¥112,000	¥117,000	¥131,500	¥147,500		56	48	41	49	43	35	28	36	30	22	15	24	18	10	3	11	5	-3	-10	
20×10.0J	¥114,000	¥119,000	¥133,500	¥149,500			54	47	55	49	41	34	43	37	29	22	30	24	16	9	18	12	4	-4	
20×10.5J	¥116,000	¥121,000	¥135,500	¥151,500						56	48	41	49	43	35	28	36	30	22	15	24	18	10	3	
20×11.0J	¥118,000	¥123,000	¥137,500	¥153,500									56	50	42	35	43	37	29	22	30	24	16	9	
20×11.5J	¥120,000	¥125,000	¥139,500	¥155,500													49	43	35	28	37	31	23	16	
20×12.0J	¥122,000	¥127,000	¥141,500	¥157,500																	43	37	29	22	

■REGULAR COLOR：DESIGN CHROME, SBC/POLISH, STONE GRAY METALLIC/POLISH

■CENTER CAP（AVAILABLE IN 5 COLORS）、METAL VALVE STEM、φ14 KRANZE METAL VALVE STEM CAPS WITH KNURLED GRIP（AVAILABLE IN 4 COLORS）、LONG SOCKET ADAPTOR

※OUTER RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

サイズ	5H/112				5H/114.3				5H/120				Height of hub clearance (mm)			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Mid	Hi
22 Reverse	φ66.6	705KG	φ30	φ14.5	φ73	690KG	φ30	φ13	φ72.6	690KG	φ30	φ14.5	—	36	—	55
21 Reverse													—	35	44	53
21 Normal													32	38	46	53
20 Reverse													32	38	46	53
20 Normal													32	38	46	53
19 Reverse		700KG											32	38	46	53

SPEC & PRICE LIST

Kranze Weaval 19inch REVERSE RIM

〔3Piece〕

Size Price (JPY/1pc)	Base Price Price	STONE GRAY METALLIC/POLISH (¥5,000 UP) Price	SBC/POLISH (¥19,500 UP) Price	DESIGN CHROME (¥35,500 UP) Price	Outer Rim Depth / Disk Type / Inset																																HOLE P.C.D.
					38mm				51mm				63mm				76mm				89mm				101mm				114mm				DEEP RIM 190mm				
					S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	S-Lo	Lo	Mid	Hi	
19×7.5J	¥98,000	¥103,000	¥117,500	¥133,500	49	43	35	28	36	30	22	15																									5 HOLES 112 114.3 120 S-Lo・Lo Mid・Hi ALL P.C.D. OTHER THAN 5-114.3 ADD JPY 4,000.-
19×8.0J	¥99,000	¥104,000	¥118,500	¥134,500	55	49	41	34	43	37	29	22	30	24	16	9																					
19×8.5J	¥100,000	¥105,000	¥119,500	¥135,500		56	48	41	49	43	35	28	36	30	22	15	24	18	10	3																	
19×9.0J	¥101,000	¥106,000	¥120,500	¥136,500			54	47	55	49	41	34	42	36	28	21	30	24	16	9	17	11	3	-4													
19×9.5J	¥102,000	¥107,000	¥121,500	¥137,500				54		56	48	41	49	43	35	28	36	30	22	15	24	18	10	3	11	5	-3	-10									
19×10.0J	¥103,000	¥108,000	¥122,500	¥138,500							54	47	55	49	41	34	43	37	29	22	30	24	16	9	18	12	4	-4	5	-2	-10	-17					
19×10.5J	¥104,500	¥109,500	¥124,000	¥140,000										56	48	41	49	43	35	28	36	30	22	15	24	18	10	3	11	5	-3	-10					
19×11.0J	¥106,000	¥111,000	¥125,500	¥141,500													56	50	42	35	43	37	29	22	30	24	16	9	17	11	3	-4					
19×11.5J	¥107,500	¥112,500	¥127,000	¥143,000																	49	43	35	28	37	31	23	16	24	18	10	3					
19×12.0J	¥109,000	¥114,000	¥128,500	¥144,500																					43	37	29	22	30	24	16	9	-47	-53	-61	-68	
19×12.5J	¥110,500	¥115,500	¥130,000	¥146,000																									37	31	23	16	-40	-46	-54	-61	
19×13.0J	¥112,000	¥117,000	¥131,500	¥147,500																													-34	-40	-48	-55	

WARNING : THE HIGHEST SURFACE POINT OF CENTER DISK COMBINED WITH OUTER RIM DEPTH OF 38mm WILL BE 5mm BEYONED OUTER RIM FLANGE.

■REGULAR COLOR：DESIGN CHROME, SBC/POLISH, STONE GRAY METALLIC/POLISH

■CENTER CAP（AVAILABLE IN 5 COLORS）、METAL VALVE STEM、φ14 KRANZE METAL VALVE STEM CAPS WITH KNURLED GRIP（AVAILABLE IN 4 COLORS）、LONG SOCKET ADAPTOR

※OUTER RIM DEPTH:THE DISTANCE BETWEEN THE OUTER EDGE OF DISK AND OUTER RIM FLANGE.

TPMS Compatibility.

サイズ	5H/112				5H/114.3				5H/120				Height of hub clearance (mm)			
	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	HUBφ	VIA	LUG HOLE DIA	BOLT HOLE DIA	S-Lo	Lo	Mid	Hi
22 Reverse	φ66.6	705KG	φ30	φ14.5	φ73	690KG	φ30	φ13	φ72.6	690KG	φ30	φ14.5	—	36	—	55
21 Reverse													—	35	44	53
21 Normal													32	38	46	53
20 Reverse													32	38	46	53
20 Normal													32	38	46	53
19 Reverse		700KG											32	38	46	53